

# LEED ATTESTATION

## Attestation

LEED Product Information acc. to LEED v4 for Building Design and Construction.

Sika certifies based on the present state of knowledge, that the products

**Sika SolaRoof™ MTC 8 (Sikalastic®-621 white)**  
**Sika SolaRoof™ MTC 12 (Sikalastic®-621 white)**  
**Sika SolaRoof™ MTC 15 (Sikalastic®-621 white)**  
**Sika SolaRoof™ MTC 18 (Sikalastic®-621 white)**  
**Sika SolaRoof™ MTC 22 (Sikalastic®-621 white)**

produced in Preston, United Kingdom, have been tested and evaluated according to the testing method **ASTM E 1980-01** to calculate the **Solar Reflectance Index (SRI)** at new condition. The Initial Solar Reflectance Index (SRI) for all wind conditions > 82. The SRI is calculated from Solar Reflectance and Thermal Emissivity values. The Solar Reflectance was determined following ASTM C 1549-04. The Thermal Emissivity was determined following ASTM C 1371-04.

The products SolaRoof™ MTC 8, 12, 15, 18 and 22 conform on the LEED v4 SS credit 5 option 1 Heat Island reduction – **Roof**. The products can thus contribute to the attainment of 2 full points under this credit.

Sika Services AG

A handwritten signature in black ink, appearing to read "H. Meier".

Heinz Meier

Corporate System Engineer  
Solar Roof / Thermal Insulation

Sika Services AG

A handwritten signature in black ink, appearing to read "Koichi Oba".

Koichi Oba

Head Corporate Target Market Roofing

Sarnen, May 2015